The Secretary wishes to announce that lithoprinted copies of five out-of-print numbers of the Old Series of Copela are now available at the following prices: nos. 44, 152, 161 (8 pages each) at \$.25 per copy, and nos. 168 and 172 (32 pages each) at \$.75 per copy.

Word is received of the recent death of Dr. Edward Phelps Allis, Jr., a leading American student of the comparative anatomy of fishes, long a resident of Palais de Carnoles, Menton, France.

The new Society for the Study of Evolution has recently published the first issue (Vol. I, Nos. 1-2, March-June, 1947) of Evolution, edited by Ernst Mayr. Subscriptions to the journal (\$6.00 per volume) may be ordered through K. P. Schmidt, Chicago Natural History Museum, Chicago 5, Illinois. Applications for membership in the society (\$5.00 annual dues) should be sent to Dr. Stanley S. Cain, Cranbrook Institute of Science, Bloomfield Hills, Michigan.

Dr. Sunder Lal Hora, an Honorary Member of the Society, has lately become Director of the Zoological Survey of India, in which position, his American colleagues trust, he will again bring to completion a stream of contributions to knowledge of the fish fauna of India. Dr. Hora's address is "Kaiser Castle," Benares Cantonment, U. P. Dr. S. Jones announces his change of address to: Inland Fisheries Research Station, 50A, Theatre Road, Calcutta, India.

INDEX TO SCIENTIFIC NAMES

1947, Nos. 1-4

New names and their principal references are printed in bold face type.

abacura, Farancia abacura, 207 abendrothi, Ophiognomon, 26-27 Acontias niger, 26-27 Acris crepitans, 208, 212 aculeatus, Gasterosteus, 147-48 Adelphicos, 154 adscensionis, Holocentrus, 280 adspersus, Tautogolabrus, 284-86 advena, Nuphar, 189 aeneus, Aneides, 144 Oxybelis, 157 Oxybelis aeneus, 169 aeneus, Desmognathus, 163, 165 Aetobatus narinari, 73 affinis, Atherinops, 197 Atherinops affinis, 197-98 afuerae, Ophichthus, 69 agassizii, Gopherus, 131 aggregatus, Cymatogaster, 147 agilis, Lacerta, 267 Agkistrodon, 143 mokeson mokeson, 144 Ahaetulla, 64 ahaetulla, Coluber, 64 Ailanthus altissima, 6 alba, Melilotus, 6 albirostris, Liotyphlops, 168

alborus, Notropis, 107 Alepocephalus, 59 alleganiensis, Cryptobranchus, 140, 210 Alligator, 267 mississipiensis, 206 Alnus rugosa, 212 Alosa sapidissima, 177 alternatus, Dryadophis boddaertii, 155-56 alticola, Scutiger, 123 altissima, Ailanthus, 6 alvarius, Bufo, 137 Amblyoma dissimile, 167, 169 humerli, 170 amblyrhynchus, Hemicaranx, 280 Ambrosia, 6 Ambystoma jeffersonianum, 140 macrodactylum, 259-61 maculatum, 117 talpoideum, 271 texanum, 117 tigrinum, 160 mavortium, 117, 140 nebulosum, 140 slateri, 140 Ameiurus, 33, 36-37 natalis natalis, 90 nebulosus, 30, 33-34, 40

Norops, 168

Ameiva leptophrys, 168 americana, Vallisneria, 52 americanus, Bufo terrestris, 113-16, 271-72 Esox, 62 Lophius, 201 Pseudopleuronectes, 283-86 amnigenus, Tirodon, 175-76 amphileucus, Desmognathus quadramaculatus, 271, 273 Amphisbaena, 24 Amphiuma, 210 means means, 271 tridactylum, 210 Anableps, 200 analostanus, Notropis, 105, 107 Anchoa, 146 mitchilli, 281-82, 284 anchovia, Sardinella, 146 andersonii, Hyla, 207 Aneides, 2-3 aeneus, 144 Anguilla bostoniensis, 281-84 anguillaris, Platystacus, 194 Anguis fragilis, 24 angusticlavius, Plethodon cinereus, 117 annectens, Pituophis catenifer, 144 Anniella pulchra, 27 annulata, Geoemyda, 170 Anolis, 25, 166 frenatus, 168 limifrons, 168 lionotus, 168 tropidogaster, 168 Anoptichthys, 33, 35 jordani, 33, 35, 40 Antigonia browni, 63 capros, 63 anuus, Helicanthus, 6 apodus, Ophisaurus, 144 Aprasia repens, 22-24, 26-27 Aprolepis barbarae, 77, 82 aquatica, Podura, 212 Archoplites interruptus, 147-48, 202 Arctocorisia, 225 argyritis, Hybognathus, 175 arietans, Bitis, 254 armatus, Leptocottus, 147 Artemia, 51-52 salina, 52 asper, Cottus, 147 Aster, 6 Astyanax, 32 mexicanus, 33, 35, 40 atherinoides, Notropis, 201 Atherinops, 197 affinis, 197 affinis, 197-98 littoralis, 197-98 Atherinopsis, 197 atratulus, Rhinichthys atratulus, 105, 107, atromaculatus, Semotilus atromaculatus, 172 atrox, Crotalus, 144 auratus, Carassius, 33, 35, 40 Dendrobates, 167

aurea, Hyla, 255, 257-58 auritus, Lepomis, 105 aurorubens, Rhomboplites, 280 azteca, Hyalella, 260-61 babcocki, Testudo pardalis, 136 Bagre marina, 217 bahamensis, Stilbiscus, 64 Bairdiella chrysura, 285-86 barbarae, Aprolepis, 77, 82 barracuda, Sphyraena, 280 Basiliscus basiliscus, 168 basiliscus, Basiliscus, 168 Bathygobius, 78 soporator, 78, 81, 280 Batrachoseps, 3 Bdellostoma stouti, 73 berlandieri, Gopherus, 211 bislineata, Eurycea bislineata, 140 Betula populifolia, 199 bifrenatus, Notropis, 97-99, 107, 186-87, 191 birostris, Manta, 278 Bitis, 253 arietans, 254 caudalis, 254 cornuta, 254 bivittatus, Python molurus; 144 bizona, Erythrolamprus, 169 Blarina, 198 brevicauda carolinensis, 198 blasii, Triturus, 215 Blennius cristatus, 280 Boleosoma, 92 nigrum, 50-51, 54-55 eulepis, 50-58 eulepis x nigrum, 52, 54-55 nigrum, 51-58, 92-96, 172 olmstedi, 92-96 vexillare, 105 bolitoglossa, Craspedoglossa, 247 bolivianus, Leptodactylus, 167 Borborocoetes, 247 boreas, Bufo, 160 boringii, Vibrissaphora, 109-112 bosc, Gobiosoma, 81 bostoniensis, Anguilla, 281-84 Bothrops godmani, 156-57 lansbergi, 170 lateralis, 153, 156-57 nigroviridis nigroviridis, 153, 156-57 boylii, Peromyscus, 133 brachycephalus, Geophis, 153-57 Brachydanio, 32 rerio, 30, 32-34, 40 Brevoortia tyrannus, 281-82 brimleyi, Pseudacris, 272 brooksi, Lampropeltis getulus, 144 browni, Antigonia, 63 buergeri, Rhacophorus, 206 burmeisteri, Phyllomedusa, 244 Bufo, 67, 113, 166 alvarius, 137 boreas, 160 bufo gargarizans, 124

marinus, 137, 144, 167 terrestris americanus, 113–16, 271-72 typhonius, 167 valliceps, 139 woodhousii fowleri, 272

Caecilia ochrocephala, 167 caementarium, Sceliphron, 139 caeruleus, Poecilichthys, 172 Caiman fuscus, 170 californiae, Lampropeltis getulus, 144 californicus, Sardinioides, 203 calligaster, Rhadinaea, 153, 156-57 Callinectes sapidus, 218 Cambarus, 172 cantabrigensis, Rana, 158 Rana cantabrigensis, 158 Rana sylvatica, 158-61 Rana temporaria, 158 capros, Antigonia, 63 Caranx ruber, 280 Carassius, 32, 34 auratus, 33, 35, 40 carinatus, Chironius, 153, 156 carolinensis, Blarina brevicauda, 198 Desmognathus ochrophaeus, 164, 274 carpio, Cyprinus, 147 Carpiodes cyprinus, 196-97 cataractae, Rhinichthys, 105 cataspila, Pseudemys scripta, 65 catesbeiana, Rana, 206, 255 Catonotus flabellaris flabellaris, 172 Catostomus, 202 catostomus, 202 griseus, 202 commersonnii commersonnii, 90, 105, 172 griseus, 202

griseus, 202
mniotiltus, 147-48
rostratus, 202
catostomus, Catostomus, 202
caudalis, Bitis, 254
caudimaculatus, Hemiexocoetus, 203
cenchoa, Imantodes, 157
Centrolene fleishmanni, 167, 244
Centrolenella, 243
eurygnatha, 243
Cephaloscyllium uter, 278-80

Cerastes, 254 cerastes, Crotalus, 131, 253-54 Ceratophrys, 247 Ceratophyllum demersum, 189 Cestracion zygaena, 229-30 Chaetodon ocellatus, 280 chalybaeus, Notropis, 90-91

chalybeus, Geophis, 154 Chamaeleo, 262, 265, 267–68 chamaeleon chamaeleon, 262 chamaeleon, Chamaeleon, 262 chamaeleonticeps, Lopholatilus, 62

Chara, 147, 189 Chelodina longicollis, 144 Chelonia mydas, 170 Chelydra, 120

serpentina, 120, 122 chilensis, Sarda, 69 Chironius, 154 carinatus, 153, 156
fuscus, 157
chittendeni, Cyclopsetta, 150
Chrysemys, 136, 267
bellii marginata, 208
chrysura, Bairdiella, 285-86
cinereus, Plethodon, 273-74
cirrigera, Eurycea bislineata, 140, 273
clamitans, Rana, 172, 206, 208
Clemmys muhlenbergii, 68
clemsonae, Plethodon, 273
Clinostomus vandoisulus, 105
x Notropis cornutus cornutus, 10

x Notropis cornutus cornutus, 105 Clupea pallasii, 147, 182 Cnemidophorus sexlineatus, 143 Coluber, 129, 132, 207, 253-54 ahaetulla, 64 constrictor, 128, 130 constrictor, 129, 208 flaviventris, 208

flaviventris, 208 obsoletus lemniscatus, 207 obsoletus, 207 quadrivittatus, 207 spiloides, 207

commersonnii, Catostomus commersonnii, 90, 105, 172 confinis, Elaphe obsoleta, 207-208 Coniophanes fissidens fissidens, 157 Conolophus subscristatus, 144 Constrictor constrictor imperator, 157, 169

constrictor, Coluber, 128, 130 Coluber constrictor, 129, 208 contortrix, Heterodon, 275 Heterodon contortrix, 129 cordata, Pontederia, 189 cornubica, Lamna, 194 cornuta, Bitis, 254

cornuta, Bitis, 254 cornutum, Phrynosoma, 270 cornutus, Notropis, 90, 107 Notropis cornutus, 105 x Clinostomus vandoisulus, 105

Coronella, 75
Corydoras, 32, 36
paleatus, 31, 33-35, 40
Cottus asper, 147
cotylephorus, Platystacus, 194
couchii, Scaphiopus, 67
Craspedoglossa bolitoglossa, 247
crassicauda, Gila, 148
crepitans, Acris, 208, 212
cristatus, Blennius, 280

Triturus, 215 Cristivomer namaycush namaycush, 237 Crotalus, 130, 253 atrox, 144

cerastes, 131, 253-54 horridus horridus, 210 ruber, 144 scutulatus scutulatus, 66 viridis oreganus, 132, 144

Cryptobranchus alleganiensis, 140, 210 crysoleucas, Notemigonus, 195 Notemigonus crysoleucas, 190-91

curtus, Python curtus, 144 cyanellus, Lepomis, 198 Cyclopsetta chittendeni, 150

fu

Fu

fu

fu

ga

g

ga G

G

G G

g

Cyclorhamphus, 246–47
fuliginosus, 246
pinderi, 246–47
Cymatogaster aggregatus, 147
Cynoscion nebulosus, 218
Cyprinus carpio, 147
cyprinus, Carpiodes, 196–97
danielsi, Gyrinophilus porphyriticus, 271
darwinii, Rhinoderma, 242
decipiens, Hyla, 243
Rhadinaea pachyura, 153, 157

decipiens, Hyla, 243
Rhadinaea pachyura, 153, 157
degenhardtii, Stenorhina, 157, 169
dekayi, Storeria, 131–32
Delma frazeri, 24–26
deltoides, Populus, 6
demersum, Ceratophyllum, 189
Dendrobates, 242
auratus, 167
Dendrophidion paucicarinatus, 153, 156–

57
Desmognathus, 163
aeneus, 163, 165
fuscus fuscus, 66
ochrophaeus, 164, 274
quadramaculatus amphileucus, 271, 273
quadramaculatus, 271, 273
detrusus, Gillichthys, 77
Devisia, 120
mythodes, 120–22
Diadophis amabilis occidentalis, 68

Diadophis amabilis occidentalis, 68
punctatus edwardsii, 274
diplana, Sphyrna, 228
Dipsas nebulatus, 157
Dipsosaurus, 25
dorsalis dorsalis, 144
Discodeles opisthodon, 249
dissimile, Amblyoma, 167, 169
ditropis, Lamna, 194
dolichorhynchus, Myrophis, 64
dolomieu, Micropterus dolomieu, 105, 172, 201

dorsalis, Dipsosaurus dorsalis, 144 drummond-hayi, Epinephelus, 280 Dryadophis, 154 boddaertii alternatus, 155–56 sleveni, 155 Drymarchon, 154

corias melanurus, 153, 155–57 dulcis, Leptotyphlops dulcis, 27 Dules subligarius, 280 dunni, Gyrinophilus danielsi, 271 Hydromorphus, 157

Micrurus dissoleucus, 169

edwardsii, Diadophis punctatus, 274 Stilbiscus, 64 effusa, Parapholyx effusa, 260 Elaphe, 129, 207 guttata, 207 guttata, 210 obsoleta, 128, 130, 207 confinis, 207–208 obsoleta, 129, 207–208, 210 quadrivittata, 207–208

quadrivittata, 210 vulpina vulpina, 275 elegans, Pseudemys scripta, 65 Eleutherodactylus, 247-48 guentheri, 248 latrans, 247 nasutus, 248 ockendeni, 167 Ensatina, 4 Enteromorpha, 147 eocenicus, Eoexocoetus, 203 Hemiexocoetus, 203 Eoexocoetus, 203 eocenicus, 203 Epicrates cenchris maurus, 144 Epinephelus drummond-hayi, 280 Eptesicus fuscus fuscus, 210 Ericymba, 225 Erimyzon oblongus oblongus, 190-91 sucetta kennerlii, 91 Erythrolamprus bizona, 169 Esox americanus, 62 lucius, 186 niger, 186, 195 vermiculatus, 62 Eucyclogobius newberryi, 147-48 eulepis, Boleosoma nigrum, 50-58 x nigrum, Boleosoma, 52, 54-55 Eumeces fasciatus, 64 Eupemphix, 247 Euphausia pacifica, 277 Eurycea, 273 bislineata bislineata, 140 cirrigera, 140, 273 griseogaster, 117-18 longicauda guttolineata, 274 melanopleura, 118 lucifuga, 118, 140 multiplicata, 117-19 tynerensis, 117, 119 eurygnatha, Centrolenella, 243 Exoglossum maxillingua, 105

Farancia abacura abacura, 207 fasciatus, Eumeces, 64 felis, Galeichthys, 217-22 feriarum, Pseudacris, 272 ferox, Trionyx, 209 fissidens, Coniophanes fissidens, 157 flabellaris, Catonotus flabellaris, 172 flavescens, Perca, 199 flaviventris, Coluber constrictor, 208 flavopictus, Leptodactylus, 247 flavus, Noturus, 172 fleishmanni, Centrolene, 167, 244 flores, Pupulina, 278 flotator, Phyllobates, 167-68 Fodiator acutus pacificus, 203 fontinalis, Salvelinus, 183 fossatus, Pogonophis, 69 fossilis, Iniomus, 203 fowleri, Bufo woodhousii, 272 fragilis, Anguis, 24 frazeri, Delma, 24-26 frenatus, Anolis, 168 frontalis, Helminthophis, 156-57

fuliginosus, Cyclorhamphus, 246
fulvius, Micrurus, 269–70
Fundulus diaphanus menona, 91
majalis, 281, 284
fuscus, Caiman, 170
Chironius, 157
Desmognathus fuscus, 66
Eptesicus fuscus, 210
Gonatodes, 168
fusiformis, Hololepis fusiformis, 191–92

gagei, Ichthyomyzon, 146 gaigae, Lampropeltis triangulum, 153, 156-57 gaigeae, Pseudemys scripta, 65 gairdnerii, Salmo, 193 Galeichthys felis, 217-22 Gambusia, 223-26 patruelis, 224 gargarizans, Bufo bufo, 124 Gasterosteus aculeatus, 147-48 Gastrotheca, 245 geminatus, Hypleurochilus, 280 gemmistratus, Imantodes, 169 genei, Hydromantes, 4 Geoemyda annulata, 170 Geophis, 154-56 brachycephalus, 153-57 chalybeus, 154 godmani, 153, 155, 157 hoffmani, 157 getulus, Lampropeltis getulus, 129, 210 gibbosus, Lepomis, 191-92, 195 Gila crassicauda, 148 Gillichthys, 77-78, 82, 84 detrusus, 77 mirabilis, 77, 79, 82-83 seta, 77 glutinosus, Plethodon, 273-74

Gobiosoma bosc, 81 robustum, 78 godmani, Bothrops, 156-57 Geophis, 153, 155, 157 goeldi, Hyla, 245 Gonatodes, 166 fuscus, 168 Gopherus agassizii, 131 berlandieri, 211 gorbuscha, Oncorhynchus, 42 grandis, Ptychocheilus, 147-48 griseogaster, Eurycea, 117-18 griseus, Catostomus, 202 Catostomus catostomus, 202 grylio, Rana, 206 guentheri, Eleutherodactylus, 248 guianense, Phimophis, 169 guttata, Elaphe, 207 Elaphe guttata, 210 Phyllomedusa, 244-45 guttolineata, Eurycea longicauda, 274 gyrans, Querimana, 146 Gyrinophilus danielsi dunni, 271 porphyriticus, 68

> danielsi, 271 porphyriticus, 68

Plethodon glutinosus, 118, 274

Haldea valeriae valeriae, 129, 274 halepense, Sorghum, 209 halimifolium, Lycium, 6 hammondii, Scaphiopus, 67 Harengula pensacolae, 146 hasseltii, Megophrys, 109 Vibrissaphora, 110 hayi, Hybognathus, 175-76 heckscheri, Rana, 272 Helicanthus anuus, 6 helleri, Xiphophorus, 198 Helminthophis frontalis, 156-57 Hemicaranx amblyrhynchus, 280 Hemiexocoetus, 203 caudimaculatus, 203 eocenicus, 203 Heterodon, 275 contortrix, 275 contortrix, 129 simus, 275 heterodon, Notropis, 91, 186 heterolepis, Notropis, 107 Notropis heterolepis, 186 Hiodon tergisus, 196 hoffmanni, Geophis, 157 holbrookii, Scaphiopus, 67 Scaphiopus holbrookii, 138, 275 Holocentrus adscensionis, 280 Hololepis fusiformis fusiformis, 191-92 horridus, Crotalus horridus, 210 hubbsi, Novumbra, 202 hudsonius, Notropis, 91 Notropis hudsonius, 107 humerli, Amblyoma, 170 Hyalella azteca, 260-61 Hybognathus, 175-76 argyritis, 175 hayi, 175-76 nuchalis nuchalis, 175-76 Hyborhynchus notatus, 172 Hydrocyon lineatus, 145 Hydromantes, 2-4 genei, 4 italicus, 4 platycephalus, 1, 3-4 Hydromorphus dunni, 157 Hyla, 243, 272 andersonii, 207 aurea, 255, 257-58 decipiens, 243 goeldi, 245 mesophaea, 243 ocularis, 272 ohausi, 246 Hypentelium nigricans, 105, 172 Hypleurochilus geminatus, 280 hypochondrialis, Phyllomedusa, 244 hypostoma, Mobula, 277

Ichthyomyzon, 146 gagei, 146 Iguana iguana iguana, 168 iguana, Iguana iguana, 168 Imantodes cenchoa, 157 gemmistratus, 169

V

m

m

m

M

m

M

m

M

1

r

I

1

D

imperator, Constrictor constrictor, 157, 169 inguinalis, Phyllobates, 167
Iniomus fossilis, 203
interruptus, Archoplites, 147–48, 202
Isotomurus retardatus, 212
Isurus, 194
italicus, Hydromantes, 4

jeffersonianum, Ambystoma, 140 jicare, Lialis, 24-26 jordani, Anoptichthys, 33, 35, 40 jordanis, Leimadophis epinephalus, 153, 156-57

kempi, Lepidochelys, 201 kennerlii, Erimyzon sucetta, 91 Kinosternon, 137 subrubrum subrubrum, 143 kirtlandi, Natrix, 208 Kyphosus sectatrix, 280

Labrisoma nuchipinnis, 280 Lacerta, 25, 267 agilis, 267 Lachesis muta, 170 laevis, Platystacus, 194 Xenopus laevis, 136 Lagodon rhomboides, 146 Lamna, 194 cornubica, 194 ditropis, 194 nasus, 194 Lampropeltis, 130 calligaster rhombomaculata, 129 getulus brooksi, 144 californiae, 144 getulus, 129, 210 triangulum gaigae, 153, 156-57 triangulum, 208 lansbergi, Bothrops, 170 lateralis, Bothrops, 153, 156-57 latiremis, Rana cantabrigensis, 158 Rana sylvatica, 161 latrans, Eleutherodactylus, 247 Lebistes, 32, 36 reticulatus, 31, 33, 35-36, 40 leeuwini, Sphyrna, 234 Leimadophis, 156 epinephalus juvenalis, 153, 156-57 Lemna trisulca, 189 lemniscatus, Coluber obsoletus, 207 Lepidochelys kempi, 201 lepidopus, Pygopus, 27 Lepomis auritus, 105 cyanellus, 198 gibbosus, 191-92, 195 leptocaulis, Opuntia, 211 Leptocottus armatus, 147 Leptodactylus, 247 bolivianus, 167 flavopictus, 247 mystaceus, 247 mystacinus, 247

manus, 247-48

pentadactylus, 247

ocellatus, 242

trivittatus, 248 Leptodeira rhombifera, 157, 169 Leptophis, 64 leptophrys, Ameiva, 168 Leptotyphlops dulcis dulcis, 27 levanderi, Sminthurides aquaticus, 212 Lialis, 24 jicari, 24-26 Lichanura, 130 roseofusca roseofusca, 144 limi, Umbra, 172 limifrons, Anolis, 168 lineatum, Tropidoclonion, 209 lineatus, Hydrocyon, 145 lionotus, Anolis, 168 Liotyphlops albirostris, 168 littoralis, Atherinops affinis, 197-98 liui, Vibrissiphora, 110, 112 longiceps, Notropis procne, 103-104 longicollis, Chelodina, 144 longirostris, Notropis, 107 Lophius, 201 americanus, 201 Lopholatilus chamaeleonticeps, 62 lucasana, Mobula, 276-77 lucifuga, Eurycea, 118, 140 lucius, Esox, 186 Lycium halimifolium, 6 Lymnaea mazamae, 260

Macrochelys temminckii, 144 macrodactylum, Ambystoma, 259-61 macrophthalmus, Myrophis, 64 maculata, Ninia, 157 maculatum, Ambystoma, 117 maculatus, Scomberomorus, 280 Spheroides, 283-86 majalis, Fundulus, 281, 284 Malacanthus plumieri, 280 malleus, Zygaena, 228, 230 maniculatus, Peromyscus, 133 Manta birostris, 278 marginata, Chrysemys bellii, 208 marina, Bagre, 217 marinus, Bufo, 137, 144, 167 marmoratus, Triturus, 215 Masticophis, 130, 254 flagellum testaceus, 144 taeniatus taeniatus, 138 maurus, Epicrates cenchris, 144 mavortium, Ambystoma tigrinum, 117, 140 maxillingua, Exoglossum, 105 mazamae, Lymnaea, 260 Triturus granulosus, 259-61 means, Amphiuma means, 271 Megophrys hasseltii, 109 melanoleuca, Naja, 144 melanopleura, Eurycea longicauda, 118 melanurus, Drymarchon corias, 153, 155-57 Tropidophis, 254 Melilotus, 6 alba, 6 Menetus, 260 Menidia menidia, 282-83, 285-86 menidia, Menidia, 282-83, 285-86

menona, Fundulus diaphanus, 91

Menticirrhus saxatilis, 282–83, 285–86 mesophaea, Hyla, 243 metcalfi, Plethodon, 273–74 mexicanus, Astyanax, 33, 35, 40 microdon, Pristis, 280 Microgadus tomcod, 283–84, 286 microlepidotus, Orthodon, 147 Micropogon undulatus, 146 micropogon, Nocomis, 105 microps, Occormus, 247 Micropterus dolomieu dolomieu, 105, 172, 201 Micropietus, 59

Microrictus, 59
tåningi, 59, 60, 61
Microtus, 131, 133
Micrurus, 154
dissoleucus dunni, 169
fulvius, 269-70
mipartitus, 205
nigrocinctus nigrocinctus, 153, 155-56, 169
zunilensis, 155
miliaris, Thoropa, 246
mipartitus, Micrurus, 205
mirabilis, Gillichthys, 77, 79, 82-83
mississipiensis, Alligator, 206

mitchilli, Anchoa, 281-82, 284 mniotiltus, Catostomus, 147-48 Mobula, 277-78 hypostoma, 277 lucasana, 276-77 mokeson, Agkistrodon mokeson, 144 Moxostoma, 172 muhlenbergii, Clemmys, 68 multiplicata, Eurycea, 117-19 Mus, 21 muta, Lachesis, 170 mydas, Chelonia, 170 Myriophyllum, 189, 191-92 Myrophis, 64 dolichorhynchus, 64 macrophthalmus, 64 mystaceus, Leptodactylus, 247 mystacinus, Leptodactylus, 247 mythodes, Devisia, 120–22

Naja melanoleuca, 144 nivea, 144 namaycush, Cristivomer namaycush, 237 nanus, Leptodactylus, 247-48 narinari, Aetobatus, 73 nasus, Lamna, 194 nasutus, Eleutherodactylus, 248 natalis, Ameiurus natalis, 90 Natrix, 143, 253 kirtlandi, 208 natrix, 253-54, 267 septemvittata, 66, 171-73, 208, 273 sipedon sipedon, 129, 171-74, 208 natrix, Natrix, 253-54, 267 nebulatus, Dipsas, 157 nebulosum, Ambystoma tigrinum, 140 nebulosus, Ameiurus, 30, 33-34, 40 Cynoscion, 218 nereus, Typhlotriton, 117-18 nerka, Oncorhynchus, 193

newberryi, Eucyclogobius, 147-48 niger, Acontias, 26-27 Esox, 186, 195 nigricans, Hypentelium, 105, 172 nigrita, Pseudacris, 160 nigrocinctus, Micrurus nigrocinctus, 153, 155-56, 169 nigroviridis, Bothrops nigroviridis, 153, 156-57 nigrum, Boleosoma, 50-51, 54-55 Boleosoma nigrum, 51-58, 92-96, 172 x Boleosoma eulepis, 52, 54-55 Ninia, 154-56 maculata, 157 psephota, 153-54, 156-57 sebae, 154 nivea, Naja, 144 Nocomis, 107 micropogon, 105 Norops auratus, 168 notatus, Hyborhynchus, 172 Notemigonus crysoleucas, 195 crysoleucas, 190-91 Notropis, 107, 172 alborus, 107 analostanus, 105, 107 atherinoides, 201 bifrenatus, 97-99, 107, 186-87, 191 chalybaeus, 90-91 cornutus, 90, 107 cornutus, 105 x Clinostomus vandoisulus, 105 heterodon, 91, 186 heterolepis, 107 heterolepis, 186 hudsonius, 91 hudsonius, 107 longirostris, 107 procne, 103-105 longiceps, 103-104 procne, 103, 105-108 rubellus, 107-108 spilopterus, 107 volucellus, 50, 107 volucellus, 107 xaenocephalus, 90 Noturus flavus, 172 Novumbra, 202 hubbsi, 202 nuchalis, Hybognathus nuchalis, 175-76 nuchipinnis, Labrisoma, 280

Nuphar advena, 189
oblongus, Erimyzon oblongus, 190–91
obsoleta, Elaphe, 128, 130, 207
Elaphe obsoleta, 129, 207–208, 210
obsoletus, Coluber obsoletus, 207
occidentalis, Diadophis amabilis, 68
Thalerophis, 169
Thalerophis occidentalis, 157
occipitomaculata, Storeria, 9, 17–18, 131
ocellatus, Chaetodon, 280
Leptodactylus, 242
ochrocephala, Caecilia, 167
ochrophaeus, Desmognathus, 164

ockendeni, Eleutherodactylus, 167

ocularis, Hyla, 272 Oedipus, 5 officinalis, Saponaria, 6 ohausi, Hyla, 246 olmstedi, Boleosoma nigrum, 92-96 Oncorhynchus gorbuscha, 42 nerka, 193 onitis, Tautoga, 283-86 Oocormus microps, 247 Opheodrys, 7, 9, 15–16, 18, 20–21, 130 vernalis, 7, 17–18, 20, 130 Ophichthus afuerae, 69 Ophiognomon abendrothi, 26-27 Ophioseps repens, 22 Ophisaurus, 24 apodus, 144 ventralis, 24 opisthodon, Discodeles, 249 Opuntia leptocaulis, 211 oreganus, Crotalus viridis, 132, 144 oregonensis, Ptychocheilus, 148 Oreophryne, 249 ornata, Terrapene, 270 Orthodon microlepidotus, 147 osculus, Rhinichthys, 147 ouachitae, Plethodon, 117-18 Oxybelis aeneus, 157 aeneus, 169

pacifica, Euphausia, 277 pacificus, Fodiator acutus, 203 paleatus, Córydoras, 31, 33-35, 40 pallasii, Clupea, 147, 182 Paludicola, 247 palustris, Rana, 272 Parapholyx effusa effusa, 260 parvulus, Zachaenus, 247 patruelis, Gambusia, 224 paucicarinatus, Dendrophidion, 153, 156-57 peckianus, Syngnathus, 281, 283, 285 pensacolae, Harengula, 146 pentadactylus, Leptodactylus, 247 Perca flavescens, 199 Periopthalmus, 78 Peromyscus, 21 boylii, 133 maniculatus, 133 petropolitana, Thoropa, 246 Phimophis guianense, 169 Phrynosoma cornutum, 270 Phyllobates, 242 flotator, 167-68 inguinalis, 167 talamancae, 168 Phyllomedusa, 244 burmeisteri, 244 guttata, 244-45 hypochondrialis, 244 Physalaemus, 247 pinderi, Cyclorhamphus, 246-47 pingii, Scutiger, 123 Pinguilabrum, 69 Pinus strobus, 199 Pipa, 242, 246

pipiens, Rana, 160, 208, 255

Rana pipiens, 172

Pipistrellus subflavus subflavus, 210 Pituophis, 130, 132 catenifer annectens, 144 Platichthys stellatus, 147 platycephalus, Hydromantes, 1, 3-4 Platysomatus, 194 Platysqualus tudes, 232 Platystacus, 194 anguillaris, 194 cotylephorus, 194 laevis, 194 verrucosus, 194 Plethodon, 272 cinereus, 273-74 angusticlavius, 117 clemsonae, 273 glutinosus, 273-74 glutinosus, 118, 274 shermani, 273 metcalfi, 273-74 ouachitae, 117-18 yonahlossee, 273-74 plumieri, Malacanthus, 280 Podura aquatica, 212 Poecilichthys caeruleus, 172 Pogonophis fossatus, 69 Polygonum, 212 Polynemus, 69 Pontederia cordata, 189 popei, Scutiger, 125 populifolia, Betula, 199 Populus deltoides, 6 porphyriticus, Gyrinopholis, 68 Gyrinophilus porphyriticus, 68 posadasi, Trimetopon, 155 Potamogeton, 147, 179 Pristis microdon, 280 procne, Notropis, 103-105 Notropis procne, 103, 105-108 Prosopium snyderi, 202 psephota, Ninia, 153-54, 156-57 Pseudacris brimleyi, 272 feriarum, 272 nigrita, 160 Pseudemys, 65, 136 scripta cataspila, 65 elegans, 65 gaigeae, 65 Pseudocerastes, 254 Pseudopleuronectes americanus, 283-86 Pseustes poecilonotus shropshirei, 169 Ptychocheilus, 148 grandis, 147-48 oregonensis, 148 rapax, 148 pulchra, Anniella, 27 pullatus, Spilotes pullatus, 157 Pupulina, 278 flores, 278 Pygopus lepidopus, 27 Pyrosoma, 277 Python curtus curtus, 144 molurus bivittatus, 144 reticulatus, 144

quadramaculatus, Desmognathus quadra-

maculatus, 271, 273 quadrivittata, Elaphe, 207-208 Elaphe quadrivittata, 210 quadrivittatus, Coluber obsoletus, 207 Querimana gyrans, 146 rabdocephalus, Xenodon, 169 radix, Thamnophis, 7, 12, 14, 17-20, 130 Rana, 247 cantabrigensis, 158 cantabrigensis, 158 latiremis, 158 catesbeiana, 206, 255 clamitans, 172, 206, 208 grylio, 206 heckscheri, 272 palustris, 272 pipiens, 160, 208, 255 pipiens, 172 sphenocephala, 206 spinosa, 112 sylvatica, 158 cantabrigensis, 158-61 latiremis, 161 sylvatica, 158, 161 temporaria, 158 cantabrigensis, 158 tigrina, 137 rapax, Ptychocheilus, 148 Rattus, 21 Reighardina unicolor, 146 Remora remora, 278 remora, Remora, 278 repens, Aprasia, 22-24, 26-27 Ophioseps, 22 rerio, Brachydanio, 30, 32-34, 40 retardatus, Isotomurus, 212 reticulatus, Lebistes, 31, 33, 35-36, 40 Python, 144 Rhacophorus buergeri, 206 Rhadinaea calligaster, 153, 156-57 pachyura decipiens, 153, 157 serperastra, 153, 156-57 Rhineodon typus, 280 Rhineura, 24 Rhinichthys atratulus atratulus, 105, 107, 172 cataractae, 105 osculus, 147 Rhinoderma darwinii, 242 rhombifera, Leptodeira, 157, 169 rhomboides, Lagodon, 146 rhombomaculata, Lampropeltis calligaster, 129 Rhomboplites aurorubens, 280

rhombifera, Leptodeira, 157, 169
rhomboides, Lagodon, 146
rhombomaculata, Lampropeltis calliga:
129
Rhomboplites aurorubens, 280
richardi, Thalerophis, 64
robustum, Gobiosoma, 78
roseofusca, Lichanura roseofusca, 144
rostratus, Catostomus, 202
rubellus, Notropis, 107–108
ruber, Caranx, 280
Crotalus, 144
rugosa, Alnus, 212
Scutiger, 123
salina, Artemia, 52

Salmo gairdnerii, 193 Salvadora, 130 Salvelinus fontinalis, 183 sapidissima, Alosa, 177 sapidus, Callinectes, 218 Saponaria officinalis, 6 Sarda chiliensis, 69 Sardinella anchovia, 146 Sardinioides californicus, 203 sauritus, Thamnophis, 19 saxatilis, Menticirrhus, 282-83, 285-86 Scaphiopus, 67, 275 couchii, 67 hammondii, 67 holbrookii, 67 holbrookii, 138, 275 Sceliphron caementarium, 139 schmidti, Scutiger, 123, 124 Scomberomorus maculatus, 280 Scutiger, 123, 215 alticola, 123 pingii, Scutiger, 123 popei, 125 rugosa, 123 schmidti, 123, 124 sikkimensis, 123, 125 scutulatus, Crotalus scutulatus, 66 sebae, Ninia, 154 sectatrix, Kyphosus, 280 semiannulata, Sonora semiannulata, 68 Semotilus atromaculatus atromaculatus, septemvittata, Natrix, 66, 171-73, 208, 273 serpentina, Chelydra, 120, 122 serperastra, Rhadinaea, 153, 156-57 seta, Gillichthys, 77 sexlineatus, Cnemidophorus, 143 shermani, Plethodon glutinosus, 273 shropshirei, Pseustes poecilinotus, 169 sikkimensis, Scutiger, 123, 125 simus, Heterodon, 275 sinensis, Trionyx, 142 sipedon, Natrix sipedon, 129, 171-74, 208 sirtalis, Thamnophis, 14-15, 19, 131 Thamnophis sirtalis, 7, 140, 208 slateri, Ambystoma tigrinum, 140 slevini, Dryadophis boddaertii, 155 Trimetopon, 153, 155-57 Sminthurides aquaticus levanderi, 212 snyderi, Prosopium, 202 Sonora semiannulata semiannulata, 68 soporator, Bathygobius, 78, 81, 280 Sorghum halepense, 209 sphenocephala, Rana pipiens, 206 Sphenodon, 267 Spheroides maculatus, 283-86 Sphyraena barracuda, 280 Sphyrna, 228 diplana, 228 leeuwini, 234 tiburo, 228 tudes, 228-34, 236 zygaena, 228-31, 234-35 spiloides, Coluber, 207 spilopterus, Notropis, 107

Spilotes pullatus pullatus, 157

spinifera, Trionyx, 209 spinosa, Rana, 112 stansburiana, Uta stansburiana, 138 Steindachneridon, 75 stellatus, Platichthys, 147 Stenorhina degenhartii, 157, 169 stewarti, Micrurus, 169 Stilbiscus bahamensis, 64 edwardsii, 64 Storeria, 132 dekayi, 131-32 occipitomaculata, 9, 17-18, 131 stouti, Bdellostoma, 73 strobus, Pinus, 199 subcristatus, Conolophus, 144 subflavus, Pipistrellus subflavus, 210 subligarius, Dules, 280 subrubrum, Kinosternon subrubrum, 143 sylvatica, Rana, 158 Rana sylvatica, 158, 161 Syngnathus peckianus, 281, 283, 285

taeniatus, Masticophis taeniatus, 138 talamancae, Phyllobates, 168 Talismania, 59 talpoideum, Ambystoma, 271 tåningi, Microrictus, 59, 60, 61 Tautoga onitus, 283-86 Tautogolabrus adspersus, 284-86 temminckii, Macrochelys, 144 temporaria, Rana, 158 tergisus, Hiodon, 196 Terrapene, 131 ornata, 270 testaceus, Masticophis flagellum, 144 Testudo, 144 pardalis babcocki, 136 texanum, Ambystoma, 117 Thalerophis, 64 occidentalis, 169 occidentalis, 157 richardi, 64 Thamnophis, 7, 9, 11-12, 15-16, 18, 20-21, 130, 132, 254 radix, 7, 12, 14, 17-20, 130 sauritus, 19 sirtalis, 14-15, 19, 131 sirtalis, 7, 140, 208 Thoropa, 246-47 miliaris, 246 petropolitana, 246 tiburo, Sphyrna, 228 tigrina, Rana, 137 tigrinum, Ambystoma, 160 Tirodon, 175 amnigenus, 175-76

tomcod, Microgadus, 283-84, 286

Trimetopon, 154

posadasae, 155 sleveni, 153, 155-57

Trionyx ferox, 209

sinensis, 142

spinifera, 209

trisulca, Lamna, 189

tridactylum, Amphiuma means, 210

triangulum, Lampropeltis triangulum, 208

Triturus blasii, 215 cristatus, 215 granulosus mazamae, 259-61 marmoratus, 215 viridescens viridescens, 271 trivittatus, Leptodactylus, 248 Tropidoclonion lineatum, 209 tropidogaster, Anolis, 168 Tropidophis melanurus, 254 tudes, Platysqualus, 232 Sphyrna, 228-34, 236 tynerensis, Eurycea, 117, 119 Typhlogobius, 78 Typhlops, 75 Typhlotriton, 117, 119 nereus, 117-18 typhonius, Bufo, 167 typus, Rhineodon, 280 tyrannus, Brevoortia, 281-82

Umbra limi, 172 undulatus, Micropogon, 146 unicolor, Reighardina, 146 Urosaurus, 138 ornatus wrighti, 138 Uta, 138 stansburiana stansburiana, 138 uter, Cephaloscyllium, 278–80 Utricularia, 189

valeriae, Haldea valeriae, 129, 274
valliceps, Bufo, 139
Vallisneria americana, 52
vandoisulus, Clinostomus, 105
x Notropis cornutus cornutus, 105
ventralis, Ophisaurus, 24
vermiculatus, Esox, 62
vernalis, Opheodrys, 7, 17–18, 20, 130
verrucosus, Platystacus, 194
vexillare, Boleosoma, 105
Vibrissaphora, 110
boringii, 109–12
hasseltii, 110
liui, 110, 112
Vinciguerria, 69
viridescens, Triturus viridescens, 271
volucellus, Notropis, 50, 107
Notropis volucellus, 107
vulpina, Elaphe vulpina, 275

wrighti, Desmognathus, 164 Urosaurus ornatus, 138

xaenocephalus, Notropis, 90 Xenodon rabdocephalus, 169 Xenopus, 246 laevis laevis, 136 Xiphophorus helleri, 198

yonahlossee, Plethodon, 273-74

Zachaenus parvulus, 247 zunilensis, Micrurus nigrocinctus, 155 Zygaena malleus, 228, 230 zygaena, Cestracion, 229–30 Sphyrna, 229–31, 234–35

